

CNB90 Universal Laptop Charger 90W incl. 10 Charging Tips

Product Images





Picture	Tip NR.	Voltage	Size (mm)	Suggested Laptop Brands
	M4	18.5V	4.8*1.7	HP, LG, Compaq
	M5	19V	5.5*2.5	Acer, Asus, Compaq, HP, Delta, Fujitsu, Gateway, Toshiba Liteon, MSI, Sharp, LG
	M6	19V	5.0*3.2	Samsung
	M8	19.5V	6.5*4.3	Sony
	M10	19.5V	4.5*2.8	HP
	M11	20V	7.9*5.5	IBM, Lenovo
	M20	18.5V	7.4*5.0	HP, Compaq
	M21	19.5V	7.4*5.0	Dell
	M25	20V	Slim tip	Lenovo
	M33	20V	4.0*17	Lenovo



Short Description

- 1. Output: DC 18.5~20V
- 2. Including 10 tips for great compatibility
- 3. Suitable for all major notebook brands/models
- 4. Protected against overload, short circuiting and overheating

Description

The Conceptronic notebook adapter provides a safe, reliable and convenient secondary power solution for the home or office, as well as a versatile option for when you are travelling. The device is also a perfect replacement for a broken or lost adapter. The package includes 10 different tips, which cover all major notebook brands/models. This adapter is protected against overload, short circuiting and overheating.

Additional Information

Compatibility

Color EAN

Model Number

M4: 4.8*1.7*12.5mm, Compatible notebook brands: HP, LG, Compaq M5: 5.5*2.5*12.5mm, Compatible notebook brands: Acer, Asus, Compaq, HP, Delta, Fujitsu, Gateway, Toshiba, Liteon,MSI, Sharp, LG M6: 5.0*3.2*12mm, Compatible notebook brands: Samsung M8: 6.5*4.3*12.5mm, Compatible notebook brands: Sony M10: 4.5*2.8*11.5mm, Compatible notebook brands: HP M11: 7.9*5.5*12.5mm, Compatible notebook brands: IBM, Lenovo M20: 7.4*5.0*12.5mm, Compatible notebook brands: HP, Compaq M21: 19.5V, 7.4*5.0*13.5mm. Compatible notebook brands: Dell M25: Slim tip, Compatible notebook brands: Lenovo M33: 20V, 4.0*1.7*11.5mm. Compatible notebook brands: Lenovo

Black

8714909014960

CNB90

Package contents
Product weight (kg)
Output Power (watt)
Power Output
Dimensions (W x D x H)

CNB90 Multilingual quick installation guide 10 Tips 0,308 90 DC 12~20V 4.5A max, DC 24V 3.75A 57.55 x 131.75 x 32 mm

