


# S109C USB PROGRAMMABLE KEYBOARD



S109C USB Compact QWERTY & Programmable POS Keyboard with MSR and Touchpad

## About

Part Code: KYB500-S109C-JP

The S109C keyboard is a new addition to the Accuratus Banking / EPOS range of keyboards. With a smaller footprint and programmable keys, the new S109C offers adaptability to suit all retail and banking applications. Our free programming software Matrix Maker has been designed to make the initial configuration very easy and our team are able to talk you through it or pre-program if required, at no additional cost. Coloured keys, larger keys or different legends are available on request.

## Features & Specifications

- Japanese key layout (other languages available on request)
- USB 'plug and play' connection
- Black case and keys (other colours made on request)
- Detachable USB cable using durable RJ45 connector
- All keys fully programmable and can have up to 8 layers of different programming per key
- All keys have an excellent mechanical feeling based on high quality sealed membrane
- 3 Track fully programmable bi directional MSR - Complies with ISO7812, IBM standards, AAMVA, JIS-2 Standards
- Integrated high resolution touchpad with left / right mouse buttons
- Laser etched durable key legends
- Status LED's (MSR, Caps, Num & Scroll Lock)
- Designed with 1.2mm thick internal metal plate to enhance the protection against ESD

### Programmable Features

- Different relegendable keycaps (1 fold, 2 fold and Quad-fold) are available
- Programmable keys can be programmed with 255 characters
- All data can be retained for no less than 100 years without additional battery
- Does not require a TSR program and hence avoids application software crashes
- Provides multi-level programming
- Provides for a variable time delay in each programmed string

### MSR Features

- Support multi-country code settings
- Support programmable MSR setting for the header, tailor, separator, suffix and prefix, track sequence
- Track 1: 210BPI with max 76 characters
- Track 2: 210BPI with max 107 characters or 75BPI with max 37 characters
- Track 3: 210BPI with max 107 characters
- Card swipe speed: 10 to 100 cm/s
- 500,000 swipe cycles
- Dimensions (l x w x h): 370 x 208 x 31.5mm
- Cable Length: 1.8m
- Touchpad Active Area: 63 x 47mm
- Barcode: 5060756092211